





## HARDENER FOR MASTON 2K PU PAINT AND LACQUER 180ML



**THEORETICAL COVERAGE**



**VERY HARD SURFACE**



**GLOSSY FINISH SURFACE**



**WEATHER-PROOF**

Hardener for Maston 2K PU Lacquer 180ml. Use hardener as a hardening component, which ensures that the product dries up after application.

**LACQUER:** MASTON 2K POLYURETHANE LACQUER is a two-component polyurethane lacquer hardened with an aliphatic isocyanate resin. The lacquer is particularly suitable for varnishing vehicles and other transport equipment, as it forms a very good and glossy surface with good resistance to solar UV radiation and mechanical stress.

**APPLICATION TIME:** Within 3 hours after the hardener has been added to the lacquer (2). Carefully open the hardener jar, a small amount of pressure may build up in the jar during storage.

**APPLICATION:** The surface must be sanded or roughened and cleaned. Use a degreaser for cleaning. The temperature of the object to be painted and the air must be above 10 °C. Mix the paint/lacquer and hardener separately thoroughly and mix together. Use Maston PU Thinner if necessary (Universal Thinners or Thinners cannot be used). When painting with spraygun, nozzle recommendation 0.011 - 0.013". The lacquer hardener and the finished mixture contain isocyanates. If ventilation is inadequate we recommend using a motored respirator, especially when using a spraygun. A respirator with a combination filter A2-P2 can be used for intermediate and short-term use. In addition, care must be taken to protect the face and eyes. Coverage 10l/m<sup>2</sup>

The opened jar should be used within 14 days.

**DEGREE OF GLOSS (DIN 67530 60 °):**

gloss 80+ gloss units

**HEAT RESISTANCE:** 150°C

**STORAGE STABILITY:** 36 months

**SIZE:** 180ml

**SALES QTY:**

180ml: 6 pcs

**MATERIAL**



**METAL**




**WOOD**



**IN AND OUT**




**CLEAN WITH DEGREASER**



**20% TO 80% MIX**



**ADD THINNER 10-30%**



**12H OVERPAINT**




**1H TOUCH DRY**



**8H FINAL DRYING**



**8 DAYS FINAL HARDNESS**



**PU SOLVENT BASED**

## MASTON Hardener for Maston 2K PU Paint and Lacquer 180ml

Art. No.	MASTON Hardener for Maston 2K PU Paint and Lacquer 180ml	Color	Barcode
20080003-EU	Hardener for Maston 2K PU Paint and Lacquer 180ml		6412490031596
20080003	Hardener for Maston 2K PU Paint and Lacquer 180ml	○	6412490016258