




ZERO WATER-BASED SPRAY PAINT



MASTON ZERO® IS THE SAFEST AND ENVIRONMENT FRIENDLIEST SPRAY PAINT EVER MADE!

Because of its unique water-based technology, Maston Zero® does not contain any added solvents making it safe to be used inside and outside with no unpleasant smells. The VOC content is reduced to only 216 g/l making the product completely non flammable and safe to use in any environment. One cross layer is enough to create immediate coverage with a film thickness of 25 to 30 microns and no run downs. The paint can be re-coated any time, wet-on-wet or wet-on-dry. Surface is touch dry after 90 minutes and dry after 48 hours. Maston Zero® is great to use on many projects inside and outside of the house including Polystyrene. The unique formulation contains no solvents in the paint and reduces the contents propellants only to 24% of the weight, allowing more paint inside. NB! Clean the drip nozzle whenever you release the nozzle.

MATERIAL



BINDER: Waterbased

HARDNESS



DEGREE OF GLOSS (DIN 67530 60 °):

matt 0-25 gloss units
satin 40-60 gloss units
glossy 80-100 gloss units

HEAT RESISTANCE: 80°C

STORAGE STABILITY: 36 months

SIZE: 400ml

SALES QTY:
400ml: 6 pcs

























USAGE INSTRUCTIONS:



Instructions Do not spray more than 30 seconds without shaking in between. Wipe the nozzle after or before each spray to avoid paint spitting. It is recommended to rinse the nozzle with warm water after use. Make sure the nozzle is dry before next use. When using the product indoors, ensure that the area within at least a 5-meter radius of the painted object is protected. Paint dust is lightweight and can spread over long distances through ventilation.

RECOAT:

always, 5 minutes in between layers

MASTON Zero Water-based Spray paint

Art. No.	MASTON Zero Water-based Spray paint	Color	Barcode
1371015	Spraypaint Zero Beige RAL1015 400ml		6412490033064
1379011	Spraypaint Zero Graphite Black RAL9011 400ml		6412490033224
1377042	Spraypaint Zero Grey RAL7042 400ml		6412490033170
1379502	Spraypaint Zero Window-Door Frame White NCS S 0502-Y 400ml		6412490033255
1379005M	Spraypaint Zero Black matt RAL9005 400ml		6412490038083
1379005	Spraypaint Zero Black RAL9005 400ml		6412490033217
1373027	Spraypaint Zero Red RAL3027 400ml		6412490033118
1378014	Spraypaint Zero Brown RAL8014 400ml		6412490033194
1377043	Spraypaint Zero Dark Grey RAL7043 400ml		6412490033187
1376005	Spraypaint Zero Dark Green RAL6005 400ml		6412490033156
1379016	Spraypaint Zero White RAL9016 400ml		6412490033231
1371015-EU	Spraypaint Zero Beige RAL1015 400ml		6412490034870
1379005-EU	Spraypaint Zero Black RAL9005 400ml		6412490035020
1379005M-EU	Spraypaint Zero Black matt RAL9005 400ml		6412490038304
1375009-EU	Spraypaint Zero Blue RAL5009 400ml		6412490034948
1378014-EU	Spraypaint Zero Brown RAL8014 400ml		6412490035006
1375013-EU	Spraypaint Zero Dark Blue RAL5013 400ml		6412490034955
1376005-EU	Spraypaint Zero Dark Green RAL6005 400ml		6412490034962
1377043-EU	Spraypaint Zero Dark Grey RAL7043 400ml		6412490034993
1379011-EU	Spraypaint Zero Graphite Black RAL9011 400ml		6412490035037
1377042-EU	Spraypaint Zero Grey RAL7042 400ml		6412490034986
1371018-EU	Spraypaint Zero Light Yellow RAL1018 400ml		6412490034887
1373027-EU	Spraypaint Zero Red RAL3027 400ml		6412490034924
1379016-EU	Spraypaint Zero White RAL9016 400ml		6412490035044

Art. No.	MASTON Zero Water-based Spray paint	Color	Barcode
1379502-EU	Spraypaint Zero Window-Door Frame White NCS S 0502-Y 400ml		6412490035068
1371032-EU	Spraypaint Zero Yellow RAL1032 400ml		6412490034894